

Criterion 4 - Infrastructure and Learning Resources

Key Indicator - 4.1 Physical Facilities

NAAC – SSR
Cycle I


4.1.2.1: Expenditure for infrastructure development and augmentation, excluding salary year wise during last five years:

List of Sections

| Sr. no. | Description | Link |
|---------|--|----------------------|
| 1 | Summary of year 2018-19 expenditure for infrastructure development | View |
| 2 | Summary of Year 2019-20 expenditure for infrastructure development | View |
| 3 | Summary of Year 2020-21 expenditure for infrastructure development | View |
| 4 | Summary of Year 2021-22 expenditure for infrastructure development | View |
| 5 | Summary of Year 2022-23 expenditure for infrastructure development | View |

List of Sections

| Sr. no. | Description | Link |
|---------|--|----------------------|
| 1 | Bills of year 2018-19 expenditure for infrastructure development | View |
| 2 | Bills of Year 2019-20 expenditure for infrastructure development | View |
| 3 | Bills of Year 2020-21 expenditure for infrastructure development | View |
| 4 | Bills of Year 2021-22 expenditure for infrastructure development | View |
| 5 | Bills of Year 2022-23 expenditure for infrastructure development | View |



Criterion 4 - Infrastructure and Learning Resources


**NAAC – SSR
Cycle I**

Key Indicator - 4.1 Physical Facilities

| Head of expenditure for infrastructure development | | | | | |
|--|---------------------|---------------------|---------------------|----------------|-------|
| Year 2018-19 | | | | | |
| Sr.No | Head of Expenditure | Item of Expenditure | Name | Amount | Grant |
| 1 | Capital Expenditure | Furniture | Supreme Ornet Chair | 494800 | PLA |
| 2 | Capital Expenditure | | Plastic Chair | 210000 | PLA |
| 3 | Capital Expenditure | | Comp. Chair | 157150 | KCG |
| 4 | Capital Expenditure | | Comp. Table | 147000 | KCG |
| 5 | Capital Expenditure | Infrastructure | Ground | 182700 | C-7 |
| 6 | Capital Expenditure | | Ground | 142800 | C-7 |
| 7 | Capital Expenditure | | RUSA BHAVAN | 3650000 | C-7 |
| 8 | Capital Expenditure | | Ground | 174495 | C-7 |
| 9 | Capital Expenditure | Lab. Equipment | 173 | 286000 | C-7 |
| 10 | Capital Expenditure | | 174 | 399000 | C-7 |
| 11 | Capital Expenditure | | 175-176 | 34500 | C-7 |
| 12 | Capital Expenditure | | 182-211 | 50521 | C-7 |
| 13 | Capital Expenditure | | 214-216 | 499317 | C-7 |
| 14 | Capital Expenditure | | 177-181 | 26032 | C-7 |
| 15 | Capital Expenditure | | Physics | 15217 | C-7 |
| 16 | Capital Expenditure | | EXETERA INFOTECH | 6000 | |
| 17 | Capital Expenditure | | 89 | 81420 | C-7 |
| Total Expenditure | | | | 6556952 | |



Jhankari
Principal
Govt. Science College, Vankal
Ta. Mangrol, Dist. Surat



Criterion 4 - Infrastructure and Learning Resources


**NAAC – SSR
Cycle I**

Key Indicator - 4.1 Physical Facilities

| Head of expenditure for infrastructure development | | | | | |
|--|---------------------|---------------------|---------------------------|----------------|-------|
| Year 2019-20 | | | | | |
| Sr.No | Head of Expenditure | Item of Expenditure | Name | Amount | Grant |
| 1 | Capital Expenditure | Equipment | Software SOUL 2.0 | 35400 | C-7 |
| 2 | Capital Expenditure | | Physics | 38350 | C-7 |
| 3 | Capital Expenditure | | Physics | 39884 | C-7 |
| 4 | Capital Expenditure | | Physics | 28686 | C-7 |
| 5 | Capital Expenditure | | Physics | 39884 | C-7 |
| 6 | Capital Expenditure | | Refri. micro centri | 10970 | C-7 |
| 7 | Capital Expenditure | | Thermal Cyclor | 92800 | C-7 |
| 8 | Capital Expenditure | | Laminar Airflow | 95500 | C-7 |
| 9 | Capital Expenditure | | physics | 424300 | C-7 |
| 10 | Capital Expenditure | Infrastructure | Ground | 275870 | Conti |
| 11 | Capital Expenditure | | RUSA BHAVAN | 3350000 | C-7 |
| 12 | Capital Expenditure | Furniture | Key holder Tipoi footrest | 56190 | C-7 |
| Total Expenditure | | | | 4487834 | |



Jhalebari
Principal
Govt. Science College, Vankal
Ta. Mangrol, Dist. Surat



Criterion 4 - Infrastructure and Learning Resources

NAAC – SSR
Cycle I

Key Indicator - 4.1 Physical Facilities

Head of expenditure for infrastructure development

Year 2020-21


| Sr.No | Head of Expenditure | Item of Expenditure | Name | Amount | Grant |
|--------------------------|---------------------|---------------------|-------------------------|---------------|-------|
| 1 | Capital Expenditure | Equipment | Hot air oven UTECH | 44486 | C-7 |
| 2 | Capital Expenditure | | Water bath 10L SCI TECH | 8697 | C-7 |
| 3 | Capital Expenditure | | Weight Balance Safron | 14160 | C-7 |
| 4 | Capital Expenditure | | Microscope | 309990 | C-7 |
| 5 | Capital Expenditure | | Trinocular Microscope | 308000 | C-7 |
| 6 | Capital Expenditure | Infrastructure | Ground | 75890 | PLA |
| Total Expenditure | | | | 761223 | |



J. K. Desai

Principal

Govt. Science College, Vankal
Ta. Mangrol, Dist. Surat




Criterion 4 - Infrastructure and Learning Resources

NAAC – SSR
Cycle I

Key Indicator - 4.1 Physical Facilities

| Head of expenditure for infrastructure development | | | | | |
|--|---------------------|---------------------|------------------------------------|--------|---------|
| Year 2021-22 | | | | | |
| Sr.No | Head of Expenditure | Item of Expenditure | Name | Amount | Grant |
| 1 | Capital Expenditure | Equipment | Dual power supply | 21500 | KCG C-2 |
| 2 | Capital Expenditure | | Camera eye peace 5mp | 23950 | KCG C-2 |
| 3 | Capital Expenditure | | Dc Power supply | 25000 | KCG C-2 |
| 4 | Capital Expenditure | | Psychometer | 5387 | KCG C-2 |
| 5 | Capital Expenditure | | Autoclave | 24000 | KCG C-2 |
| 6 | Capital Expenditure | | Micropipette | 23890 | KCG C-2 |
| 7 | Capital Expenditure | | Digital Multimeter | 19200 | KCG C-2 |
| 8 | Capital Expenditure | | Rheostat phy | 17500 | KCG C-2 |
| 9 | Capital Expenditure | | Hot plate | 14999 | KCG C-2 |
| 10 | Capital Expenditure | | prismatic compass | 6750 | KCG C-2 |
| 11 | Capital Expenditure | | Shaker | 24500 | KCG C-2 |
| 12 | Capital Expenditure | | Galvanometer | 15440 | KCG C-2 |
| 13 | Capital Expenditure | | Microscope Binocular | 19050 | KCG C-2 |
| 14 | Capital Expenditure | | Prism | 19400 | KCG C-2 |
| 15 | Capital Expenditure | | Hot Air Oven | 24724 | KCG C-2 |
| 16 | Capital Expenditure | | Incubator | 24999 | KCG C-2 |
| 17 | Capital Expenditure | | Transilluminator | 24500 | KCG C-2 |
| 18 | Capital Expenditure | | Servo Stabilizer | 15380 | KCG C-2 |
| 19 | Capital Expenditure | | Microprocessor | 13950 | KCG C-2 |
| 20 | Capital Expenditure | | Microprocessor Visible Single Beam | 24500 | KCG C-2 |
| 21 | Capital Expenditure | | Ph Meter | 9259 | KCG C-2 |
| 22 | Capital Expenditure | | Lafco Microscope | 14999 | KCG C-2 |
| 23 | Capital Expenditure | | Lafco Microscope | 21057 | KCG C-2 |
| 24 | Capital Expenditure | | Godrej 255 L2 Double Door Refri | 24209 | KCG C-2 |
| 25 | Capital Expenditure | | Micro Controller Based PH system | 22420 | KCG C-2 |
| 26 | Capital Expenditure | | Digital colorimeter | 24922 | KCG C-2 |
| 27 | Capital Expenditure | | Digital colorimeter | 24922 | KCG C-2 |
| 28 | Capital Expenditure | | Olympus Binocular | 17800 | KCG C-2 |
| 29 | Capital Expenditure | | Digital Balance 10 mg | 17980 | KCG C-2 |
| 30 | Capital Expenditure | | Student Microscope | 22000 | KCG C-2 |
| 31 | Capital Expenditure | | Digital Weight Indicator | 12399 | KCG C-2 |



Criterion 4 - Infrastructure and Learning Resources


**NAAC – SSR
Cycle I**

Key Indicator - 4.1 Physical Facilities

| | | | | | |
|--------------------------|---------------------|----------------|--|----------------|---------|
| 32 | Capital Expenditure | | Oven With Thermostatic Control | 11500 | KCG C-2 |
| 33 | Capital Expenditure | | Hot Air Oven | 23897 | KCG C-2 |
| 34 | Capital Expenditure | | Digital conductivity meter | 15996 | KCG C-2 |
| 35 | Capital Expenditure | | Whirlpool 255 ltr DD Refrigerator | 24300 | KCG C-2 |
| 36 | Capital Expenditure | | Reading Telescope with Scale Arrangement | 24000 | KCG C-2 |
| 37 | Capital Expenditure | | Resistance Box | 24000 | KCG C-2 |
| 38 | Capital Expenditure | | Decade Resistance Box | 22000 | KCG C-2 |
| 39 | Capital Expenditure | | Voltas Microwave Oven | 9898 | KCG C-2 |
| 40 | Capital Expenditure | | Spectrometer 6" Delux | 24950 | KCG C-2 |
| 41 | Capital Expenditure | | Servo Stabilizer | 18099 | KCG C-2 |
| 42 | Capital Expenditure | | Lloyd refrigerator | 24890 | KCG C-2 |
| 43 | Capital Expenditure | | Electronic Weighing Scale | 14060 | KCG C-2 |
| 44 | Capital Expenditure | | Resistance Box | 21500 | KCG C-2 |
| 45 | Capital Expenditure | | UV Sterilizer 45l | 16600 | KCG C-2 |
| 46 | Capital Expenditure | | Manual Soxhlet Extraction Unit | 18490 | KCG C-2 |
| 47 | Capital Expenditure | | Vortex Shaker | 24999 | KCG C-2 |
| 48 | Capital Expenditure | | Resistance Box 1-5000 OHMS | 23850 | KCG C-2 |
| 49 | Capital Expenditure | | Digital Spectrometer | 19500 | KCG C-2 |
| 50 | Capital Expenditure | Infrastructure | Ground | 39900 | Conti |
| Total Expenditure | | | | 1003015 | |



Jhalevari
Principal
Govt. Science College, Vankal
Ta. Mangrol, Dist. Surat




Criterion 4 - Infrastructure and Learning Resources

**NAAC – SSR
Cycle I**

Key Indicator - 4.1 Physical Facilities

| Head of expenditure for infrastructure development | | | | | |
|--|---------------------|---------------------|--|--------|---------|
| Year 2022-23 | | | | | |
| Sr.No | Head of Expenditure | Item of Expenditure | Name | Amount | Grant |
| 1 | Capital Expenditure | Equipment | Autoclave | 179832 | KCG C-2 |
| 2 | Capital Expenditure | | Polarimeter | 15000 | KCG C-2 |
| 3 | Capital Expenditure | | Prism | 9500 | KCG C-2 |
| 4 | Capital Expenditure | | Double Door Refrigerator | 79730 | KCG C-2 |
| 5 | Capital Expenditure | | Glass Door Refrigerator | 109976 | KCG C-2 |
| 6 | Capital Expenditure | | Laminar Air Flow Horizontal Botany | 106908 | KCG C-2 |
| 7 | Capital Expenditure | | Refrigerated Cooling Centrifuge | 259600 | KCG C-2 |
| 8 | Capital Expenditure | | Deep Freezer | 78000 | KCG C-2 |
| 9 | Capital Expenditure | | Microwave Oven | 16740 | KCG C-2 |
| 10 | Capital Expenditure | | Weighing Balance 1 mg | 24999 | KCG C-2 |
| 11 | Capital Expenditure | | Sphygmomanometer | 5998 | KCG C-2 |
| 12 | Capital Expenditure | | Stethoscope | 3800 | KCG C-2 |
| 13 | Capital Expenditure | | Micropipette Variable 10 -100 μ l | 21232 | KCG C-2 |
| 14 | Capital Expenditure | | Micropipette Variable 0.5-10 μ l | 24740 | KCG C-2 |
| 15 | Capital Expenditure | | Micropipette Variable 100-1000 μ l | 20188 | KCG C-2 |
| 16 | Capital Expenditure | | Multi-Channel Micropipette Variable 10-100 μ l | 23998 | KCG C-2 |
| 17 | Capital Expenditure | | Hot Plate | 21000 | KCG C-2 |
| 18 | Capital Expenditure | | Hair Dryer | 8370 | KCG C-2 |
| 19 | Capital Expenditure | | Microwave Oven 32L LG | 23402 | KCG C-2 |
| 20 | Capital Expenditure | | Biosafety Cabinet Freestanding | 163996 | KCG C-2 |
| 21 | Capital Expenditure | | Vortex Mixer | 16099 | KCG C-2 |
| 22 | Capital Expenditure | | Single door Refrigerator | 16769 | KCG C-2 |
| 23 | Capital Expenditure | | Binocular | 17982 | KCG C-2 |
| 24 | Capital Expenditure | | VORTEX Spotting Scope | 199900 | KCG C-2 |
| 25 | Capital Expenditure | | Nikon 20 MP Still DSLR APS | 105995 | KCG C-2 |
| 26 | Capital Expenditure | | Camera Trap | 23700 | KCG C-2 |
| 27 | Capital Expenditure | | UV Chamber | 12500 | KCG C-2 |
| 28 | Capital Expenditure | | Scaletec Weighing Balance | 21240 | KCG C-2 |
| 29 | Capital Expenditure | | Telescope | 24900 | KCG C-2 |
| 30 | Capital Expenditure | | pH. Meter | 24900 | KCG C-2 |




Criterion 4 - Infrastructure and Learning Resources

**NAAC – SSR
Cycle I**

Key Indicator - 4.1 Physical Facilities

| | | | | |
|----|---------------------|--|-----------|---------|
| 31 | Capital Expenditure | SHAKER INCUBATOR | 123998.91 | KCG C-2 |
| 32 | Capital Expenditure | BINOCULAR MICROSCOPE | 499000 | KCG C-2 |
| 33 | Capital Expenditure | BOD INCUBATOR (BOT) | 24992 | KCG C-2 |
| 34 | Capital Expenditure | INCUBATOR SHAKER (BOT) | 68000 | KCG C-2 |
| 35 | Capital Expenditure | BOD INCUBATOR (ZOO) | 124000 | KCG C-2 |
| 36 | Capital Expenditure | BINOCULAR MICROSCOPE WITH DISPLAY | 146000 | KCG C-2 |
| 37 | Capital Expenditure | BENCH TOP NON-REFRIGERATED CENTRIFUGE | 76995 | KCG C-2 |
| 38 | Capital Expenditure | EGG INCUBATOR | 104800 | KCG C-2 |
| 39 | Capital Expenditure | SYSTRONICS COLORIMETER | 37500 | KCG C-2 |
| 40 | Capital Expenditure | UV TRANSILLUMINATOR | 40000 | KCG C-2 |
| 41 | Capital Expenditure | BENCH TOP NON-REFRIGERATED CENTRIFUGE (REMI) | 40350 | KCG C-2 |
| 42 | Capital Expenditure | BINOCULAR MICROSCOPES_ZOO | 404680 | KCG C-2 |
| 43 | Capital Expenditure | UV-VIS DOUBLE BEAM SPECTROPHOTOMETER | 490999.98 | KCG C-2 |
| 44 | Capital Expenditure | VOLTAGE STABILIZER | 49950 | KCG C-2 |
| 45 | Capital Expenditure | INVERTED RESEARCH MICROSCOPE | 394710 | KCG C-2 |
| 46 | Capital Expenditure | STERO ZOOM MICROSCOPE MAGNUS | 154936 | KCG C-2 |
| 47 | Capital Expenditure | MICROSCOPE | 126732 | KCG C-2 |
| 48 | Capital Expenditure | MICROSCOPE | 106200 | KCG C-2 |
| 49 | Capital Expenditure | STABILIZER | 5969.7 | KCG C-2 |
| 50 | Capital Expenditure | STABILIZER | 11520 | KCG C-2 |
| 51 | Capital Expenditure | HORIZONTAL ELECTROPHORESIS SYSTEM | 80000 | KCG C-2 |
| 52 | Capital Expenditure | MAGNETIC STIRRER | 5848 | KCG C-2 |
| 53 | Capital Expenditure | UV TRANSILLUMINATOR | 21027.6 | KCG C-2 |
| 54 | Capital Expenditure | VERTICAL GEL ELECTROPHORESIS | 412008 | KCG C-2 |
| 55 | Capital Expenditure | ELECTRONIC WEIGHING SCALE | 24998.3 | KCG C-2 |
| 56 | Capital Expenditure | TAMRON AUTO TELEPHOTO DSLR CAMERA LENS | 56700 | KCG C-2 |
| 57 | Capital Expenditure | Quasmo Microscopes | 424800 | KCG C-2 |
| 58 | Capital Expenditure | APARAMPAR G.I Powder Coated COD | 54998 | KCG C-2 |
| 59 | Capital Expenditure | Dual Life Autoclave | 15930 | KCG C-2 |
| 60 | Capital Expenditure | NSAW LED Display Bacteriological Incubator | 24662 | KCG C-2 |



Criterion 4 - Infrastructure and Learning Resources

**NAAC – SSR
Cycle I**

Key Indicator - 4.1 Physical Facilities

| | | | | | |
|--------------------------|---------------------|-----------|---|-------------------|---------|
| 61 | Capital Expenditure | | GEM 220 L 2 Star Direct Cool Single Door Refrigerator | 19942 | KCG C-2 |
| 62 | Capital Expenditure | | ERBA Semi-Automatic | 197998 | KCG C-2 |
| 63 | Capital Expenditure | | Yamaha Music Instrument | 23200 | PLA |
| 64 | Capital Expenditure | Furniture | Plastic chair prima-500 | 144991 | |
| Total Expenditure | | | | 6199430.49 | |



Jhalevari

Principal

Govt. Science College, Vankal
Ta. Mangrol, Dist. Surat